


Synonym

EGFR,ERBB,ERBB1,HER1,PIG61,mENA

Source

PE-Labeled Human EGF R, His Tag (EGR-HP2E3) is produced via site-specific conjugation of PE to Human EGF R, His Tag under optimal conditions with a proprietary technology. Human EGF R, His Tag is expressed from human 293 cells (HEK293). It contains AA Leu 25 - Ser 645 (Accession # [P00533-1](#)).

Predicted N-terminus: Leu 25

Molecular Characterization


This protein carries a polyhistidine tag at the C-terminus

The protein has a calculated MW of 72.3 kDa.

Conjugate

PE

Excitation Wavelength: 488 nm / 561 nm

Emission Wavelength: 575 nm

Application

Evaluation of anti-EGF R CAR expression by flow cytometry. Please note that this product is NOT compatible to streptavidin detection system.

Formulation

Lyophilized from 0.22 μ m filtered solution in PBS, 0.5% BSA, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.


Storage

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please protect from light and avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

Bioactivity-FACS

5×10^5 of anti-EGFR CAR-293 cells were stained with 100 μ L of 1:50 dilution (2 μ L stock solution in 100 μ L FACS buffer) of PE-Labeled Human EGF R, His Tag (Cat. No. EGR-HP2E3) and negative control protein respectively. PE signal was used to evaluate the binding activity (QC tested).

Background

The epidermal growth factor receptor (EGFR; ErbB-1; HER1 in humans) is the cell-surface receptor for members of the epidermal growth factor family (EGF-family) of extracellular protein ligands. The epidermal growth factor receptor is a member of the ErbB family of receptors, a subfamily of four closely related receptor tyrosine kinases: EGFR (ErbB-1), HER2/c-neu (ErbB-2), Her 3 (ErbB-3) and Her 4 (ErbB-4). Mutations affecting EGFR expression or activity could result in cancer.

Clinical and Translational Updates

Please contact us via TechSupport@acrobiosystems.com if you have any question on this product.